



595 Main Street, Aumsville, OR 97325
Office: (503) 749-2030 ~ FAX: (503) 749-1852
Email: rharding@aumsville.us

PUBLIC MEETING NOTICE

AUMSVILLE CITY COUNCIL MEETING

In the Community Center and via Zoom Video Conference

MONDAY, SEPTEMBER 26, 2022

AGENDA

1) CALL TO ORDER: 7:00PM

- a) Approve Agenda

2) PRESENTATIONS, PROCLAMATIONS, & VISITORS

- a) **Presentation:** TMDL Implementation Plan – Aumsville Public Works
- b) **Public Comment:** Council will meet in-person and via Zoom conference call. Public Comment will be accepted from online attendees at this time. Comments are limited to 5 minutes for comments on items other than Public Hearings listed below. There is a public comment period within each hearing. You may also submit comments by emailing City Administrator Ron Harding at rharding@aumsville.us by noon on September 26, 2022.
- c) **Visitors:** For information about how to attend the meeting online, please call City Hall at 503.749.2030 or email crogers@aumsville.us to request log in instructions. Information will also be posted on our website <https://www.aumsville.us/citycouncil/page/city-council-regular-meeting-112>

3) CONSENT AGENDA: (Action) Council Meeting September 12, 2022 Minutes

4) PUBLIC HEARING: NONE

5) OLD BUSINESS: NONE

6) NEW BUSINESS:

- a) (Information/Input Request) Addendum to the Marion County Multi-Jurisdictional Hazard Mitigation Plan
- b) (Action) Procurement of New Patrol Vehicle

7) CITY ADMINISTRATOR REPORT: (Information)

8) MAYOR AND COUNCILORS REPORTS & INITIATIVES

9) GOOD OF THE ORDER: Other Business May Come Before the Council at This Time

10) CORRESPONDENCE: NONE

11) ADJOURNMENT MEETING

The City of Aumsville does not and shall not; discriminate on the basis of race, color, religion (creed), gender, gender expression, age, national origin (ancestry), disability, marital status, sexual orientation, or military status, in any of its activities or operations. Anyone wishing to speak on an agenda item should ask to be recognized by the Mayor or Chair at the beginning of that agenda item. The meeting location is accessible to persons with disabilities. A request for an interpreter for the hearing impaired, or for other accommodations for persons with disabilities must be made at least 48 hours prior to the meeting. Please call (503) 749-2030 and leave a message or Oregon Relay Service for TDD at (800) 735-2900.



595 Main St. Aumsville, Oregon 97325
(503) 749-2030•TTY 711•Fax (503) 749-1852
www.aumsville.us

AUMSVILLE CITY COUNCIL

September 12, 2022 Meeting Minutes

Council Chair Angelica Ceja called the meeting to order at 7:00 PM. Present in-person were Councilors Angelica Ceja, Doug Ecclestone, Della Seney, Walter Wick, City Administrator (CA) Ron Harding, and City Clerk Colleen Rogers. Councilors Scott Lee, and Nico Casarez (arrived at 7:10 PM) joined via Zoom Conference call. Council absent: Mayor Derek Clevenger. The meeting was video recorded to be released later.

AGENDA APPROVAL: Chair Ceja called for a motion to approve the agenda. Councilor Seney moved to approve the agenda as presented by staff. Councilor Ecclestone seconded the motion. Motion APPROVED 5-0: (Yes: Councilors Ceja, Ecclestone, Lee, Seney, and Wick. No: None.)

VISITORS: There were no visitors and one online attendee. No public comment.

CONSENT AGENDA: Councilor Seney moved to approve the August 8, 2022 city council meeting minutes as presented. Councilor Ecclestone seconded the motion. Motion APPROVED 5-0: (Yes: Councilors Ceja, Ecclestone, Lee, Seney, and Wick. No: None.)

OLD BUSINESS: None

NEW BUSINESS:

(Action) Council reviewed the results of a Request for Proposal (RFP) for new accounting software. CA Harding gave an overview of the proposals that the city received and cited that the Caselle Inc proposal was the best fit for the City's needs and requested authorization to enter a contract with Caselle Inc. The software would include a combined package for accounting, payroll, utility billing, and court management solution. After a brief discussion Councilor Seney moved to authorize the City to award a contract to Caselle Inc for its integrated accounting software solution and maintenance, not to exceed \$94,070 plus annual support as presented by staff. Councilor Ecclestone seconded the motion. Motion APPROVED 6-0: (Yes: Councilors Casarez, Ceja, Ecclestone, Lee, Seney, and Wick. No: None.)

(Action) Council reviewed the Water System Improvement Project-Wetland Delineation Westech Engineering proposal JO 2599.4041.0. CA Harding explained that the delineation is the next phase of the improvement project. There was no discussion and Chair Ceja called for a motion. Councilor Casarez moved to approve the Westech Engineering Proposal, JO 2599.4041.0, in the amount of \$16,000 for Water System Improvement Project – Wetlands Delineation Proposal from fund 028-636. Councilor Wick seconded the motion. Motion APPROVED 6-0: (Yes: Councilors Casarez, Ceja, Ecclestone, Lee, Seney, and Wick. No: None.)

(Action) Council reviewed the PacifiCorp Franchise Agreement Extension. CA Harding reported that this franchise is on a 10 year renewal and this year it is up for review. PacifiCorp sent the city some changes to the agreement but due to staffing issues we have not been able to review them. Approval to extend the current franchise agreement to December 13, 2022 will allow time to seek legal counsel regarding the changes. He explained that the agreement expired on August 13, 2022, therefore, the ordinance will need to be declared an emergency in order to take place immediately. Chair Ceja gave the first reading of Ordinance 710, an ordinance extending the franchise granted to PacifiCorp dba Pacific Power via Ordinance 619; declaring an emergency and called for a motion. Councilor Seney moved to approve the first reading of Ordinance No. 710, an ordinance extending the franchise granted to PacifiCorp dba Pacific Power via Ordinance 619; declaring an emergency, as presented by staff. Councilor Ecclestone seconded the motion. Motion APPROVED 6-0: (Yes: Councilors Casarez, Ceja, Ecclestone, Lee, Seney, and Wick. No: None.)

Because Council unanimously voted to approve the first reading of Ordinance No. 710, the second reading may be done at the same meeting. Chair Ceja gave the second reading of the ordinance by title only and called for a motion to approve and adopt. Councilor Seney moved to approve the second reading adopting Ordinance No. 710 an ordinance extending the franchise granted to PacifiCorp dba Pacific Power via Ordinance 619; declaring an emergency, as presented by staff. Councilor Wick seconded the motion. Motion APPROVED 6-0: (Yes: Councilors Casarez, Ceja, Ecclestone, Lee, Seney, and Wick. No: None.)

Council reviewed the draft ordinance for amendments to Development Ordinance No. 705. CA Harding cited the Psilocybin and Marijuana measures that are going to be voted on November 8th and Council's discussion to put language within the development code that would create land use conditions of approval for this type of uses. CA Harding pointed out that development code amendments must go through a lengthy process which can take a couple of months to be approved and we need to start the process as soon as possible to be prepared for whatever the outcome is. He walked Council through the amendments in the draft ordinance and commented that we would also need to add an emergency clause for the ordinance to go into effect immediately. After a brief discussion, Council consensus was for staff to move forward with the amendment process and conditions as presented.

CITY ADMINISTRATOR REPORT: CA Harding stated that Corn Festival revenues were up from last year, mainly due to doubling our corn sales this year. We had more than 130 volunteers that signed in and many that just pitched in and didn't sign in on our logs. He credits this to reaching out to local non-profit organizations who brought a good number of those volunteers. CA Harding stated that the profit will be around \$18,000 once all the revenue comes in and the final bills are paid. The funds will be distributed amongst local service groups that contribute to our community. He presented a distribution list to Council for their review. Council agreed that the distribution was reasonable. CA Harding stated that he would put together the contracts and one condition is the money must be used to support services within Aumsville. Once complete staff will bring them back to Council for final approval. There was a brief discussion regarding scheduling Corn Festival planning during a

few Council meetings between now and next year's event to gather input and keep the public apprised of planning progress.

CA Harding announced the newest staff members, Hayley Brewster and Kirsti Pizzuto, and reported that they are doing a great job.

MAYOR/COUNCIL REPORTS AND INITIATIVES: Councilor Casarez thanked everyone who helped at Corn Festival and a special thanks to Deanna Cox for her creativity and organization of the Corn Fest Rock Hunt.

GOOD OF THE ORDER: None

CORRESPONDENCE: None

The regular meeting convened into an Executive Session at 7:37 PM.

Council met under the authority of ORS 192.660(2)(a) to consider the employment of a public officer, employee, staff member, or individual agent. An executive session, and the discussion is off the record. Matters discussed are not to be disclosed. No decision was made in Executive Session.

Council reconvened the regular meeting at 7:56 PM.

There being no Executive Session outcome, Council Chair Ceja adjourned the meeting without prejudice at 7:56 PM.

Angelica Ceja, Mayor Pro-tem

Ron Harding, City Administrator



595 Main St. Aumsville, Oregon 97325
(503) 749-2030 • TTY 711 • Fax (503) 749-1852
www.aumsville.us

STAFF REPORT

TO: City of Aumsville City Council

FROM: Matthew Etzel, Aumsville Public Works

SUBJECT: City of Aumsville's Addendum to the Marion County Multi-Jurisdictional Hazard Mitigation Plan.

BACKGROUND: Last year staff from Police and Public Works worked with Marion County Emergency Management to update the city's Addendum to the Marion County Multi-Jurisdictional Hazard Mitigation Plan. Our old plan expired on August 16th, 2022. The renewal of this plan gives the city eligibility for FEMA Hazard Mitigation Assistance funding.

The plan has been updated with any flood, drought, or other natural events that have taken place in the last 5 years. The scoring criteria were also updated with no major changes in the scores, but events were added like the Ice Storm of February 2021.

The plan also identifies areas in which the city has improved its response to these events along with projects we are doing to help mitigate future events. Some of the key items are the work we are doing to the water system to help with drought resiliency, along with the purchase of 4x4 vehicles and generators in the event of another ice or winter storm.

No action is needed by the council at this time. If you wish to comment or make any additions or corrections please have those to staff by October 1st, 2022 so we can submit the plan for FEMA approval. Once FEMA has approved the plan staff will bring it back to the council for adoption.

MOTION:

- No motion is needed at this time.

CITY OF AUMSVILLE ADDENDUM

Purpose

This document serves as the City of Aumsville’s Addendum to the Marion County Multi-Jurisdictional Hazards Mitigation Plan (HMP). The purpose of this addendum is to guide the implementation of mitigation actions by Aumsville to improve the resilience of the community. Mitigation planning is a long-term endeavor—one that requires broad internal involvement and community engagement to be successful.

Information contained in Volume I (Basic Plan) and Volume III (Appendices) of the HMP provides additional information (hazard characteristics/events/extent, countywide mitigation actions, and community profile data) and forms the basis of this addendum.

Plan Process, Participation, and Adoption

In the summer of 2021 Marion County partnered with the Oregon Department of Land Conservation and Development and the Oregon Military Department’s Office of Emergency Management (OEM), and Marion County cities, including Aumsville, to update their addendum to the Marion County Hazard Mitigation Plan, which expired August 16, 2022. This project is funded through the Federal Emergency Management Agency’s (FEMA) FY19 Pre-Disaster Mitigation Competitive Grant Program (PDMC-PL-10-OR-2019-003). By developing this addendum to the Marion County HMP, locally adopting it, and having it approved by FEMA, the City of Aumsville will gain eligibility for FEMA Hazard Mitigation Assistance (HMA) funding that includes three programs: Building Resilient Infrastructure & Communities (BRIC), formerly the Pre-Disaster Mitigation grant program, the Hazard Mitigation Grant Program (HMGP), and the Flood Mitigation Assistance (FMA) program.

The Aumsville City Administrator is the designated local convener of this addendum. The convener delegates authority to staff for the lead in implementing, maintaining, and updating the addendum to the HMP in collaboration with Marion County Emergency Management.

The City of Aumsville will convene a Steering Committee drawing from the following departments to maintain and update the Aumsville addendum and action items:

- Convener, City Administrator
- Public Works Director
- Police representative
- Fire representative
- School District
- Marion County Emergency Management (as necessary)
- Marion County Public Works representative (as necessary)

For the 2022 HMP update, the City of Aumsville held the following meetings:

- On November 4th, 2021, staff from the City of Aumsville (Richard Schmitz, Police Chief, and Steve Oslie, Public Works Director) and the Aumsville Rural Fire Protection District (Brad McKenzie) met with DLCD and Marion County Emergency Services to conduct a Hazard Vulnerability Analysis to evaluate the hazards impacting the city. On November 8th, 2021, DLCD and Chief Schmitz had a follow-up discussion about mitigation actions for the city.
- On March 11, 2022 and March 30, 2022, staff from the City of Aumsville (Matthew Etzel, Assistant Public Works Director and Damian Flowers, Police Sergeant) reviewed and updated the Aumsville draft addendum with Pam Reber, DLCD Natural Hazard Planner.

The City of Aumsville used multiple approaches to engage the public. The Marion County HMP flyer was distributed via the December 2021 issue of City of Aumsville newsletter. City staff is providing regular updates to City Council and plans to present the draft plan to the City Council during an open public council session. City of Aumsville staff attended Marion County HMP Steering Committee meetings and promoted the HMP survey and outreach efforts throughout the plan update.

Risk Assessment

A risk assessment is intended to provide the “factual basis for activities proposed in the strategy to reduce losses from identified hazards.”¹ This section of the HMP addendum can serve as the factual basis for addressing Oregon Statewide Planning Goal 7 – Areas Subject to Natural Hazards.

Community Profile

This section provides information on city specific assets and populations. For additional information on the characteristics of the City of Aumsville, in terms of geography, environment, population, demographics, employment and economics, as well as housing and transportation see Volume III, Appendix C, Community Profile. Many of these community characteristics can affect how natural hazards impact communities and how communities choose to plan for natural hazard mitigation. Considering the city-specific assets during the planning process can assist in identifying appropriate measures for natural hazard mitigation.

Community Characteristics


The city of Aumsville is located in Marion County, Oregon, southeast of Salem, just south of Hwy 22 at Exit 9. Aumsville is located in Oregon’s Willamette Valley, which experiences a moderate climate. In August, the average high temperature is 80 degrees, and the average low temperature is 52 degrees. Wintertime temperatures in January range from an average high of 47 degrees to an average low of 33 degrees. The average annual precipitation is 39.6 inches. Aumsville is bordered on the north by Beaver Creek and on the south by Mill Creek.

¹ 44 CFR 201.6(2)(i)

Mill Creek has a small offshoot on the southeastern side of town called Highberger Ditch. Aumsville is almost completely flat.

The Population Research Center at Portland State University lists Aumsville’s 2020 population at 4,376 which constitutes approximately 1.3% of the population of Marion County. This 2020 population represents a 36.3% increase (1,165 people) from 2010.² For more demographic information, refer to Appendix C. Median household income in Aumsville 2015-2019 was \$61,620. This is a 13.3% increase from the previous period (2010-2014).³ For more economic information, refer to Appendix C.

Figure AM-01. City of Aumsville Map



Source: DLCD, Marion County.

Critical and Important Facilities

City of Aumsville’s critical and important facilities include the following:

² Population Research Center at the Portland State University College of Urban and Public Affairs. Coordinated Population Forecast for Marion County, its Urban Growth Boundaries (UGB), and area outside UGBs 2021 –2071. June 30, 2021.

³ U.S. Census Bureau (n.d.). 2010-2014 & 2015-2019 American Community Survey 5-year estimates.

Transportation

- Highway OR-22 (North Santiam Highway)
 - Shaw Hwy overpass on Hwy 22
 - Aumsville Highway SE
 - Mill Creek Bridge on W. Stayton Rd.
 - Mill Creek Bridge on W end of Mill Creek Rd (this bridge hosts a fiber optic cable)
 - Beaver Creek Bridge on Aumsville Hwy
- Note: City of Aumsville is not responsible for any of these highways or bridges – they are all managed by Marion County or ODOT*

Energy

- Electricity Source: Pacific Power
 - All transmission lines, no substations
- Fuels used by the City:
 - City does not have a fuel station – fuel bought retail (note that the local fuel station probably does not have a back-up power source to pump gas from underground tanks) PW stores and uses fuel from fuel tanks at the Public Works Facility. 500 gallons diesel and 1000 gallons gasoline. PD buy fuel from retail fueling source.
 - City Hall back-up fuel: diesel generator for a well, City Hall/Police, and Fire Department – diesel will last for 24 hours
 - Public Works back-up fuel: 500 gallons of diesel, up to 1000 gallons of gas above ground – there are electric pumps now, but fuel could be manually pump if necessary
 - Wastewater Treatment Plant back-up fuel: diesel generator – diesel will last for 24 hours
 - Boone Well site #1 back-up fuel: diesel generator – diesel will last for 24 hours
- School District has propane and diesel back-up

Water/ Wastewater

- Drinking water sources:
 - Reservoir – 1 million gallons
 - Tower Well, located at 195 N. 5th St. (has back-up generator) – 100,000 gallons
 - Boone Well #1, located at 1105 Main St. (has back-up generator)
 - Reservoir Well, located at 9313 Mill Creek Rd.
 - Boone Well #2, located at 1105 Main St.
 - Church Well, located at 675 Grizzly St.
 - Two water filters that will filter 3,000 gallons per day (pumped from surface water sources)
- Wastewater treatment plant: City operates and is located at 955 Olney St
- Water treatment plant: City operates and is located at 9613 Mill Creek Rd
- Aumsville’s five wells deposit water into a 1-million-gallon reservoir. Water is treated before it is stored in the reservoir. Chlorine and Potassium Permanganate is added in the treatment process and chlorine is added as needed in the reservoir. and then distributed out via a booster pump station to water customers.

- The 2015 Water Master Plan includes a section on water conservation, including a list of existing or proposed water conservation programs. The Plan also provides a Water Curtailment Plan with accompanying curtailment actions.

Communications

- Police communication equipment is located on City Hall.
- Water Tower, 195 N. 5th St.: hosts 4 cellular providers
- Wastewater Treatment Plant, 955 Olney St.: hosts one cell tower (owned by a cellular provider) with a diesel generator with back-up fuel for 24 hours
- Telephone (ground line) switching station, 980 Main St.: has a diesel generator with back-up fuel for 24 hours
- City-owned vehicle mounted radios provide the ability to interconnect Police and Fire
- Police and Fire can dispatch out of the Police and Fire stations
- 1 amateur radio, located off of Cedar Lane

Emergency Services

- Police:
 - Police Department, 597 Main St.
- Fire: Aumsville Rural Fire Protection District
 - 490 Church St.
 - Shaw Station, 5604 Shaw Highway SE
 - Provides coverage for city and county areas served by the district.
- Aumsville Public Works
- Emergency Operations Center is city or the fire department.
- Medical
 - Aumsville Medical Clinic, 205 Main St. (note this is really just a doctor's office)
- Shelter:
 - Aumsville community center is a shelter and has a generator; working on MOUs with Willamette Baptist Church and schools.

Cultural/Historical Resources

- Old City Hall is the Historic Museum, 599 Main St.
- Events that may have large crowds:
 - June: Emergency Preparedness fair/School Carnival
 - June – August, Mondays & Fridays: Kids summer parks program (run by the City)
 - August: Aumsville Corn Festival (10,000 – 12,000 attendance)
 - November: Saturday before Thanksgiving: Turkey Bingo (500-600 attendance)

Environmental and Economic

- Largest employer is Blazer Industry that builds modular homes, etc.
- Agricultural lands surrounding community produces corn, mint, and hazelnuts and grass seed.
- Bedroom community to Salem.

Functional and Access Needs (Vulnerable Populations)

- Schools:
 - Aumsville Elementary School, 572 N. 11th St. (3 separate buildings)
 - Willamette Valley Baptist Church and School, 650 N. 1st St.
 - Kuntry Kids (Daycare), 200 Main St.
- Lower-income areas:
 - S 5th St next to Mill Creek
 - 11th St and Olney

See hazard sections below for potential hazard-related vulnerabilities to these facilities.

Plans and Policies

Table AM-01. Plans and Policies of the City of Aumsville

Document	Year
Aumsville Comprehensive Plan	2022
Development Ordinance Update	2021
Parks Master Plan	2017
Stormwater Master Plan	2000
Water System Master Plan	2015
Wastewater Master Plan & Facilities Plan	2022

Note: Year is year acknowledged or last revision. Source: Aumsville, 2022. Public Works website.

<https://www.aumsville.us/publicworks>, 2022. PAPA Database <https://www.oregon.gov/lcd/CPU/Pages/Adopted-Plan-Amendments.aspx>

Hazard Profile

Table AM-02. City of Aumsville Hazard Profile

Community Overview							
Community Name	Population	Number of Buildings	Critical Facilities ¹	Total Building Value (\$)			
Aumsville	4,215	1,459	5	509,635,000			
Hazus-MH Analysis Summary							
Hazard	Scenario	Potentially Displaced Residents	% Potentially Displaced Residents	Damaged Buildings	Damaged Critical Facilities	Loss Estimate (\$)	Loss Ratio
Flood ²	1% Annual Chance	0	0%	6	0	76,000	0%
Earthquake	Mt Angel Mw 6.8 Deterministic	36	0.9%	93	2	16,580,652	3.3%
Exposure Analysis Summary							
Hazard	Scenario	Potentially Displaced Residents	% Potentially Displaced Residents	Exposed Buildings	Exposed Critical Facilities	Building Value (\$)	Exposure Ratio
Landslide	High and Very High Susceptibility	0	0.0%	0	0	0	0.0%
Channel Migration	Channel Migration Zone	0	0%	0	0	0	0%
Wildfire	High and Moderate Risk	0	0%	0	0	0	0%
Lahar	Medium Zone (1000 to 15000-year)	0	0%	0	0	0	0%

¹Facilities with multiple buildings were consolidated into one building complex.

²No damage is estimated for exposed structures with "First floor height" above the level of flooding (base flood elevation).

Source: (Williams & Madin, 2022)

Table AM-03. City of Aumsville Critical Facilities

	Flood 1% Annual Chance	Earthquake Moderate to Complete Damage	Landslide High and Very High Susceptibility	Channel Migration Zone	Wildfire High or Moderate Risk	Lahar Hazard
Critical Facilities by Community	Exposed	>50% Prob.	Exposed	Exposed	Exposed	Exposed
Aumsville Elementary School						
Aumsville Police Department						
Aumsville RFPD		X				
Aumsville Sewage Treatment Plant		X				
Willamette Valley Baptist School						

Source: (Williams & Madin, 2022).

Hazard Analysis

The methodology for assessing risk was the same for all jurisdictions and a detailed description of the BOLD planning methodology can be found in Volume I, a brief description is below. To complete the risk assessment, the jurisdiction representatives first updated the description, type, location, and extent of each hazard. Next, they updated the Hazard Vulnerability Analysis based on each hazard’s potential impact on the community using a method developed by BOLD Planning⁴. This assessment method ranks the following factors to determine risk from the range of natural hazards identified:

1. Probability (frequency) of event
2. Magnitude of event
3. Expected warning time before event
4. Expected duration of event

Score	Probability	Warning Time	Magnitude/Severity	Duration
4	Highly Likely	Less than 6 hours	Catastrophic	More than 1 week
3	Likely	6-12 hours	Critical	Less than 1 week
2	Possible	12-24 hours	Limited	Less than 1 day
1	Unlikely	24+ hours	Negligible	Less than 6 hours

The assessment identifies three levels of risk: High, Moderate and Low.

High - High probability of occurrence; at least 50 percent or more of population at risk from hazard; significant to catastrophic physical impacts to buildings and infrastructure; major loss or potential loss of functionality to all essential facilities (hospital, police, fire, EOC and shelters).

Moderate - Less than 50 percent of population at risk from hazard; moderate physical impacts to buildings and infrastructure; moderate potential for loss of functionality to essential facilities.

⁴ BOLD Planning is a consulting firm specializing in the development of actionable emergency plans. For more information, visit: <http://www.boldplanning.com/>

Low - Low probability of occurrence or low threat to population; minor physical impacts.

IMPACT	Range Values	
	Low CPRI	High CPRI
High	3.0	4.0
Moderate	2.0	2.9
Low	1.0	1.9

A summary of the hazard vulnerability assessment findings and rankings is presented below.

Table AM-04. City of Aumsville Hazard Vulnerability Assessment – Natural Hazards

Hazard Profile Summary for the City of Aumsville and Aumsville RFPD						
Natural Hazard	Probability	Warning Time	Magnitude	Duration	CPRI	2022 Local Planning Significance
Weight Factor	0.45	0.15	0.3	0.1		
Severe Weather/Storm	4.00	3.00	3.00	4.00	3.55	High
Wildland Interface Fire	3.00	2.00	3.00	4.00	2.95	Moderate
Earthquake	2.00	4.00	3.00	4.00	2.80	Moderate
Drought	3.00	1.00	3.00	4.00	2.80	Moderate
Tornado	2.00	4.00	3.00	4.00	2.80	Moderate
Extreme Heat	3.00	1.00	2.00	3.00	2.40	Moderate
Flood (incl. dam failure)	2.00	2.00	2.00	3.00	2.10	Moderate
Landslide	1.00	4.00	1.00	3.00	1.65	Low
Volcanic Eruption	1.00	2.00	2.00	3.00	1.65	Low
Avalanche	1.00	1.00	1.00	1.00	1.00	Low

Table AM-05. City of Aumsville Hazard Vulnerability Assessment – Non-Natural Hazards

Hazard Profile Summary for the City of Aumsville and Aumsville RFPD						
Hazard	Probability	Warning Time	Magnitude	Duration	CPRI	2022 Local Planning Significance
Weight Factor	0.45	0.15	0.3	0.1		
Non Natural Threats and Hazards						
Argo Terrorism	1	1	1	1	1	Low
Cyberterrorism	2	4	3	4	2.8	Moderate
Terrorism, Active Shooter, V	2	4	4	4	3.1	High
Chemical, Biological, Radiological, Nuclear, Explosive (CBRNE)	1	1	1	1	1	Low
Hazardous Materials Release - Transportation	2	4	3	3	2.7	Moderate
Hazardous Materials - Non Transportation	1	1	1	1	1	Low
Public Health	1	1	1	1	1	Low
Fire - Residential / Commerical (Arson)	2	4	2	3	2.4	Moderate
Unauthorized Entry	2	4	2	4	2.5	Moderate

Hazard Characteristics

Hazard History, Characteristics and Extent for Marion County apply also to the City of Aumsville. Volume I, Section 2, Risk Assessment, adequately describes the characteristics of natural hazards, as well as the location and extent of potential events.

The following section identifies vulnerabilities specific to the City of Aumsville, recent localized hazard events and impacts, and illustrates the basis for the city's HVA scores.

Avalanche

Events: n/a

Vulnerability: None

Drought

Events: In 2021, there was an event where a pump was lost during a period of extended heat; 14' of water was lost in the city's reservoir. This was the driver for securing additional storage and supply.

Vulnerability: The city is doing extensive resilience work on their water storage and the city coordinates messages on water conservation with the Aumsville RFPD and uses the utility bill and newsletter to educate the community. But an extreme drought could result in a water shortage. The city has 1 million gallons of storage. The city approved \$3.5 million in funding for an additional 1 million gallons and 2 additional wells; the city holds unused water rights. The city had a well-siting study done that shows that city-owned sites could produce 400 gallons per minute (45% increase to water supply).

Earthquake

Events: No damaging earthquake events occurred during the previous five years. On March 25, 1993, a Mw 5.7 earthquake occurred with an epicenter approximately 3 miles east of the City of Scotts Mills, Oregon. Many buildings were damaged from the event, including the capitol building in Salem. The many unreinforced buildings in the area were significantly damaged due to intense shaking. The 1993 Scott Mills quake caused \$28 million in damages to cities throughout Marion County.

Vulnerability: There is one locally active fault within the Aumsville city limits, one crossing over on the far northwest corner of the town. Other active faults also exist about six miles to the northwest and west. Vulnerable structures include the museum (unreinforced masonry) and the Aumsville Elementary School.

A 100,000-gallon elevated tank may need seismic retrofits. A new 1-million-gallon reservoir should be resilient; the current 1-million-gallon reservoir needs seismic upgrades which will be implemented after the new reservoir is constructed.

Extreme Heat

Events: No conservation orders, annual water conservation advisories/education.

Vulnerability: City has started a vulnerable population list for response to an extreme heatwave (also power outages, wildfire smoke, etc.); Water supply was stressed in recent years, but new reservoir should address.

Flood

Events: No major flood events 2017-2021.

Vulnerability: Certain residential areas; sewage lagoons; rural highway outlets to town.

Portions of Aumsville have areas of flood plains (special flood hazard areas). These include areas along Mill Creek and the Highberger Ditch, and Beaver Creek (see Figure AM-02). Furthermore, other portions of Aumsville, outside of the mapped floodplains, are also subject to significant, repetitive flooding from local storm water drainage.

Figure AM-02. Aumsville Flood Hazard Map



Source: FEMA Map Service Center, 5/25/2022. <https://msc.fema.gov/>

Historically, Aumsville has experienced major floods in 1996, around 2000, and in 2011. Since then, no major floods have affected the population, but Aumsville continues to

experience regular localized flooding during the wet season. In particular, the steering committee noted issues along Bishop Road, 1st Street, and in the Highberger Ditch area. The steering committee also noted that Porter Boone and Mill Creek Parks often flood during the winter. According to the steering committee, many of the flooding issues affecting Aumsville can be attributed to poor ditch maintenance.

Landslide

Events: n/a

Vulnerability: Aumsville is very flat, there is no landslide risk.

Severe Weather

Events: Ice storm in 2021 resulted in 4 days without power and communication (cell, internet, regular phone).

Vulnerability: Significant wind events occur in Aumsville each year, sometimes interrupting services, downing trees, and causing power outages. Because windstorms typically occur during winter months, they are sometimes accompanied by ice, freezing rain, flooding, and very rarely, snow.

Tornado

Events: Aumsville tornado December 14, 2010.

Vulnerability: In December 2010, a tornado touched down in Aumsville, causing around \$1.2 million dollars in damage. Nichols Plumbing had their building destroyed, scattering plumbing parts across the street. Other building damage included a house, a metal building, and the roofs of a number of manufactured were damaged. Since this event, Aumsville has not experienced wind events that were quite as severe.

Wildfire

Events: n/a

Vulnerability: Aumsville is surrounded by agricultural lands which are highly managed and pose low risk for wildfire.

Volcanic Eruption

Events: 1980 Mount St Helens eruption.

Vulnerability: The City would have several hours before ash from an eruption of Mt. Hood, or another volcano impacted the community; impacts could last more than a week.

Mitigation Strategy

During the 2022 Marion County Hazard Mitigation Plan and Aumsville Addendum update process, the Oregon Department of Land Conservation & Development and Aumsville city staff developed a list of priority actions. Actions that were thought to be relevant but not considered to be priorities were placed in the Action Item Pool for consideration at annual plan review meetings.

Mitigation Successes

- Aumsville is upgrading their water supply by putting the water rights they have to work and building sufficient storage capacity to endure low production times, pump failures, and other risks. A 100,000-gallon elevated tank may need seismic retrofits. If these are too costly however, the tower will just be used as a communications tower. A new 1-million-gallon reservoir will be built to seismic standards; and the current 1-million-gallon reservoir needs seismic upgrades which will be implemented after the new reservoir is constructed. The City is also active in messaging to the community about water conservation and what is needed for a resilient water system.

Ongoing Mitigation Actions

- Aumsville requires that new development puts new power lines underground. Undergrounding electric utilities is included in the city's development standards; it is a criterion for new construction. The city also encourages Pacific Power to underground lines as they are able.
- Include emergency preparedness resources in the city's monthly newsletter.
- Hold an annual preparedness fair.
- Participate in the Marion County's MORE Agreement.
- Develop stronger connections with the business community and encourage businesses to develop continuity of operations plans.
- Participate in Marion County Drought Contingency Plan.

Mitigation Action Tables

Table AM-06. City of Aumsville Priority Action Items

#	Hazard	Mitigation Action	Priority	Timeline	Cost	Description	Status
2022 MH-01	Multi-Hazard	Develop a communications plan between the city, police, and fire. This will include purchasing more radios so all key personnel can be in contact during an emergency.	H	1-3 years	\$25-75k	Include Incident Command System (ICS) and National Incident Management System (NIMS) training in the communication plan development.	Started?
2022 MH-02	Multi-Hazard	Update the City's Evacuation and Mass Care Plan. Important components to include are: -A list of vulnerable populations -Fuel management and access plan -Detailed asset inventory	H	1-3 years	\$25-75k	Revised city EOP action item. Continuation/revision of 2017 MH-02: Update the City's Emergency Operations Evacuation and Mass Care Plan.	New/ Revised
2022 MH-03	Multi-Hazard	Develop a memorandum of understanding with facilities that could function as emergency shelters during a hazard event.	H	1-3 years	\$5-10k	2017-MH-05	Started?
2022 MH-04	Multi-Hazard	Identify and purchase materials the city needs to operate successfully in an emergency situation.	M	1-5 years	\$250K-\$1.5 Million	Generators at all well sites. Church and Boone 2 currently do not have generators. Include generators in all future well projects. Generator at new Public Works Facility.	Started
2022 MH-05	Multi-Hazard	Develop a memorandum of understanding (MOU) with the gas station that gives emergency services first access to the station's stored fuel.	M	2-5 years	Staff time	Tentative gas station agreement but they need backup power. 2017 MH-01	Started communication Need generator to finish MOU
2022 MH-06	Multi-Hazard	Update the Aumsville Comprehensive Plan to reflect statewide land use Goal 7 language surrounding natural hazards.	M	2-5 years	Staff time	Consider using the Marion Co HMP hazard chapters to update the Goal 7 section with: hazard characterization, events, specific city vulnerabilities, and recommendations for policies and strategies to protect the city from these hazards. 201-MH-06	Not Started

#	Hazard	Mitigation Action	Priority	Timeline	Cost	Description	Status
2022 EQ-01	Earthquake	Conduct a seismic analysis on the empty elevated water tank.	H	2-5 years	\$8-15k	Working with Engineer of Record to draft a report on the seismic analysis of the empty tank with Cell Phone antennas still on tower with no water.	Started waiting on Engineer for report.
2022 EQ-02	Earthquake	Complete seismic assessment on critical facilities (water tower assessment currently underway). Retrofit facilities based on recommendations of the assessment.	H	2-5 years	\$10k-3.5 Million	Seismic Analysis was done on elevated tank and showed 1.5+ Million in needed retrofits. Redoing analysis on tank empty now that City is constructing a new 1-million-gallon reservoir. Existing 1-million-gallon reservoir will need seismic upgrades once construction of new tank is complete.	Started
2022 EQ-03	Earthquake	Support school district's efforts to secure a bond for school seismic retrofitting.	H	2-5 years	\$Staff time?	Help advertise the need for retrofits in newsletter??	Not Started
2022 EQ-04	Earthquake	Consider requiring new city facilities to exceed the minimum structural requirements for seismic loading.	M	2-5 years	\$	Lead: City Council Partners: Marion Co. Building Inspection	Not Started?
2022 EQ-04	Earthquake	Encourage residents to prepare and maintain 2-week survival kits.	M	0-18 months	\$	Newsletter articles from Marion County Emergency Management and Police Chief.	Started
2022 EQ-04	Earthquake	Send employees to Marion County's ATC 20 training.	M	0-18 months	\$	2017 EQ-08	Not Started
2022 FL-01	Flood	Remove culvert on Gordon Lane at 1 st Street; replace with a bridge.	M	5-10 years	~\$2 million	To prevent potential flooding in the Highberger Estates subdivision or 1 st Street. To be implemented with development; the City will have an engineered set of drawings (\$400k). Funding: city budget, developer	Started
2022 FL-02	Flood	Upsize culverts on Bishop Rd.	M	5-10 years	~\$1 million	To prevent potential flooding to Highberger Estates and Bishop Road. To be implemented with development. Funding: city budget, developer	Not started
2022 FL-03	Flood	Update the Stormwater Management Plan.	M	2-5 years	\$50-60k	Continued 2017 P-3 Funding: FEMA	Started

Table AM-6. City of Aumsville 2017 Action Item Status

#		Mitigation Action	Description	Coordinating Organization	Status
2017 MH-01	Multi-Hazard	Develop MOU with the gas station that gives emergency services first access to station's stored fuel.	Tentative gas station agreement but they need backup power. 2022 MH-05	City Administration	Started
2017 MH-02	Multi-Hazard	Update the City's Emergency Operations Plan. Important components to include are: -A list of vulnerable populations -Fuel management and access plan -Detailed asset inventory	All sub items are complete. Follow up to confirm that the city is working towards its own EOP or if it is coordinating with the County's EOP. The city has emergency response plans for the water and wastewater systems. 2022 MH-02	Police Chief, Public Works and City staff	Complete or Revised
2017 MH-03	Multi-Hazard	Identify and purchase materials the city needs to operate successfully in an emergency situation.	2022 MH-04	City Administration	Started
2017 MH-04	Multi-Hazard	Develop a communications plan between the city, Police, and Fire. This will include purchasing more radios so all key personnel can be in contact during an emergency.	2022 MH-01	City Administration and Police Chief	Started
2017 MH-05	Multi-Hazard	Develop a memorandum of understanding with facilities that could function as emergency shelters during a hazard event.	2022 MH-03	City Administration	No Started
2017 MH-06	Multi-Hazard	Update the Aumsville Comprehensive Plan to reflect statewide land use Goal 7 language surrounding natural hazards.	2022 MH-06 Consider using the Marion Co HMP hazard chapters to update the Goal 7 section with: hazard characterization, events, specific city vulnerabilities, and recommendations for policies and strategies to protect the city from these hazards.	City Administration	Not started
2017 MH-07	Multi-Hazard	Include emergency preparedness resources in the city's monthly newsletter	Moved to ongoing mitigation actions.	City Executive Office	Started
2017 MH-08	Multi-Hazard	Hold an annual preparedness fair.	Moved to ongoing mitigation actions.	City Executive Office	Not Started
2017 MH-09	Multi-Hazard	Participate in the Marion County's MORE Agreement.	Moved to ongoing mitigation actions.	City Administration	No Started
2017 MH-10	Multi-Hazard	Develop stronger connections with the business community and encourage businesses to develop continuity of operations plans.	Moved to ongoing mitigation actions.	City Administration	Started

#		Mitigation Action	Description	Coordinating Organization	Status
2017 DR-01	Drought	Partner with Marion County to support local agencies' training on water conservation measures.		Public Works	Complete
2017 DR-02	Drought	Participate in Marion County Drought Contingency Plan.	Moved to Ongoing.	Public Works	Not Started
2017 P-4 EQ-00	Earthquake	Assess the seismic vulnerability of the City's reservoir (as described in the 2015 Water Plan). Retrofit facility as funding becomes available.	The analysis showed the need for seismic upgrades to be greater than the cost than replacing the tank.	Public Works	Complete/ Revised 2022 EQ-02
2017 EQ-01	Earthquake	Complete seismic assessment on critical facilities (water tower assessment currently underway). Retrofit facilities based on recommendations of the assessment.	complete part 1; USE ongoing doing another analysis based on the tank being empty.	Public Works	Ongoing
2017 EQ-02	Earthquake	School seismic retrofitting action – need to talk to school district representative.	Discuss replacement of Aumsville Elementary School with the school district.	School District	School District action item
2017 EQ-03	Earthquake	Purchase a 4-wheel drive vehicle that could provide transportation if major access points to the city are not passable.	City to purchase two 4x4 vehicles; one has been received; the other is coming but delayed due to supply chain issue.	Public Works	Complete
2017 EQ-04	Earthquake	Consider requiring new city facilities to exceed the minimum structural requirements for seismic loading.		City Council	Not Started
2017 EQ-05	Earthquake	Install automatic shut-off valves in all city facilities that use natural gas.		Public Works	Complete
2017 EQ-06	Earthquake	Develop dam inundation maps.		FEMA	Discontinue
2017 EQ-07	Earthquake	Encourage residents to prepare and maintain 2-week survival kits.		City Executive Office	Not Started
2017 EQ-08	Earthquake	Send employees to Marion County's ATC 20 training.		City Executive Office	Not Started
2017 P-1	Flood	Remove culvert on 1 st and Gordon and replace with a bridge.	Design completed in 2022.	City Administration/ Public Works	Started/ 2022 FL-01
2017 P-2	Flood	Upsize culverts on Bishop Rd.		City Administration/ Public Works	Not Started/ 2022 FL-02
2017 P-3	Flood	Create an agreement for flood mitigation along Beaver Creek and Mill Creek/ Highberger Ditch	Discontinued except	City Administration	Discontinued

#		Mitigation Action	Description	Coordinating Organization	Status
		(agreement would have to be regional). Aumsville could do the following: <ul style="list-style-type: none"> • Use city property as a water detention space. • Increase the detention capacity to accommodate effects of new development • Update the Stormwater Management Plan. 	2022 FL-03 Update Stormwater Management Plan		
2017 SW-1	Severe Storm	Require new development to put power lines underground.	Included in the city's development standards; a criterion for new construction. See Ongoing Mitigation Action section.	City Administration	Complete
2017 SW-2	Severe Storm	Encourage Pacific Power to underground lines was they are able.	See Ongoing Mitigation Action section.	City Administration	Complete

Source: City of Aumsville, 03/30/2022.



595 Main St. Aumsville, Oregon 97325
(503) 749-2030 • TTY 711 • Fax (503) 749-1852
www.aumsville.us

STAFF REPORT

TO: City of Aumsville City Council
FROM: Damian Flowers, Interim Chief of Police
SUBJECT: New Patrol Vehicle

RECOMMENDATION: Authorize the City to purchase a new patrol vehicle, including all needed equipment to make vehicle function as patrol vehicle

BACKGROUND: The Aumsville Police Department has been operating with the use of two main patrol vehicles, and one limited use patrol vehicle due to wear and tear. We are looking to add another patrol vehicle to the fleet, and eventually decommission the Dodge Charger Patrol Vehicle. Our two main patrol vehicles each have almost 80 thousand miles on them. Having just the two patrol vehicles for the multiple shifts per day, quickly runs these vehicles up in mileage and wear and tear. Adding a 3rd vehicle, would spread out the mileage use, and decrease the number of services and repairs needed for upkeep. This will especially be important as we again reach full staffing levels. Three shifts per day, for seven days a week, is a lot of wear and tear to be split between only two vehicles. This would also afford us the ability to have enough patrol vehicles in the event one gets damaged or needs a lengthy service repair.

The city has developed a vehicle replacement schedule and saving funds in a vehicle replacement program for this purpose. We currently have the funds in the vehicle replacement fund to purchase an upfitted patrol vehicle outright to supplement our patrol fleet. In recent past we have been working with Wire Works as they were our most recent upfitter. They have offered state contract pricing on any qualifying equipment purchased and their service rates have been competitive with the other upfitting vendors in our area. They also work with Gillespie Graphics. Gillespie Graphics is our most recent vehicle graphics provider, that already has our graphics on file for use.

The projected funding amount for upfitting a new patrol car for our fleet is: State contract vehicle price \$41,083.50, upfitting cost \$16,131.89, graphics \$1,200, complete

computer setup \$3,574.16, and State Contract Radio \$886.88. Fully equipped patrol vehicle to finish, for 62,876.43.

We have requested upfitting quotes from three vendors: Wire Works, LEHR, and Day Wireless. We are still awaiting a response from LEHR and Day Wireless with a quote for their services for upfitting. Funding for this purchase could come out of the vehicle Replacement Fund 020-811

MOTION:

- **Authorize the city to purchase a new patrol vehicle fully equipped using the state contract prices and small bids for \$62, 876.43 from fund 020-811.**
- **Authorize the city to purchase a new patrol vehicle fully equipped using the state contract prices and small bids for \$62, 876.43 from fund 020-811. Revised by:**
- **Move to remand back to staff for revisions as directed.**



Wire Works LLC
 2525 Commercial ST NE
 Salem, OR 97301

Estimate

Date	Estimate #
8/25/2022	14765

Aumsville Police Department
 PO Box 103
 Aumsville, Oregon 97325

A processing fee of 3.75% will be applied to all invoices paid with a credit card

Job	P.O. No.	Rep
Interceptor SUV		JAS

Item	Description	Qty	Rate	Total
	2023 Ford Interceptor Patrol SUV			
	Customer to provide the following: Radio system MDT docking station and power supply Stop Stick			
	Power distribution:			
Ch27.1.7	911 Circuits power distribution panel. 27 circuits, single stage timer, 7 foot. SPECIFY MOUNTING BRACKET	1	749.95	749.95T
MBFSUVL1-20+	911 Circuits mounting bracket "L1" that mounts under drivers front seat.	1	19.95	19.95T
CB150	Wire Works 150 amp manual resettable circuit breaker.	1	49.95	49.95T
WWPD-023	Wireworks circuit breaker bracket.	1	17.00	17.00T
	Siren:			
SA315P	Whelen Siren Speaker. 123db. 2 7/8 mounting depth.	1	186.25	186.25T
SAK1	Whelen universal mount bracket for the SA315P speaker. A4	1	0.00	0.00T
	Grill lights:			
I2J	Whelen ION™ DUO™ Series Linear-LED® Universal Light. Red/Blue color	2	126.25	252.50T
	Wig Wags: Installed by Ford			
	Lightbar: ***Promo pricing***			

Thank you for the opportunity!	Subtotal
	Sales Tax (0.0%)
	Total



Wire Works LLC
 2525 Commercial ST NE
 Salem, OR 97301

Estimate

Date	Estimate #
8/25/2022	14765

Aumsville Police Department
 PO Box 103
 Aumsville, Oregon 97325

A processing fee of 3.75% will be applied to all invoices paid with a credit card

Job	P.O. No.	Rep
Interceptor SUV		JAS

Item	Description	Qty	Rate	Total
KBLB-KB023	Whelen Liberty II DUO Core Bundle include: Liberty II full duo 50" lightbar, C399 Core controller with choice of control head, OBDII data cable	1	2,556.25	2,556.25T
TLI2J	Side 1/4 glass lights: Whelen Ion T-Series Linear Duo Red/Blue	2	96.25	192.50T
WWLB-086	Bracket to hold TLI whelen lights	2	15.525	31.05T
VTX609B	Taillights: Whelen Vertex Super LED lighthouse. Blue.	2	76.25	152.50T
VTX609R	Whelen Vertex Super LED lighthouse. Red.	2	76.25	152.50T
I2J	Deck lights: (mounted to hatch, NOT headliner) Whelen ION™ DUO™ Series Linear-LED® Universal Light. Red/Blue color	2	126.25	252.50T
TLI2J	Hatch lip lights: Whelen Ion T-Series Linear Duo Red/Blue	2	96.25	192.50T
LARNMOKHFU...	Antennas: Larsen high frequency coax. RG58/U Dual Shield cable. 25 foot length. No connector. Install provided radio antenna	1	24.95	24.95T
PK1126ITU20	Prisoner area: Setina #10XL C horizontal sliding window, coated poly window, and expanded metal screen. Fits 2020 Ford INUT	1	723.71	723.71T

Thank you for the opportunity!	Subtotal
	Sales Tax (0.0%)
	Total



Wire Works LLC
 2525 Commercial ST NE
 Salem, OR 97301

Estimate

Date	Estimate #
8/25/2022	14765

Aumsville Police Department
 PO Box 103
 Aumsville, Oregon 97325

A processing fee of 3.75% will be applied to all invoices paid with a credit card

Job	P.O. No.	Rep
Interceptor SUV		JAS

Item	Description	Qty	Rate	Total
QK0566ITU20	Setina full replacement transport seat TPO plastic, with center pull down seat belts and #12 coated poly cargo partition. For 2020 Ford Interceptors	1	1,203.30	1,203.30T
WK0514ITU20	Setina Window Bars VS Steel Vertical for 2020 Ford Interceptor Utility	1	251.21	251.21T
3SC0CDCR	Whelen 3" white LED dome light.	1	52.73	52.73T
475-0850	Weapons mount: Patriot Gun Rack - Single Weapon, Partition Mounted, Vertical (GR3-AR-XTRD-GL3XL Mounted) - Flat or Recessed Housing. Hand Cuff Style Lock with Hand Cuff Override Key.	1	448.81	448.81T
425-6505	Officer area: *** Whelen C399 CORE Controller included in lightbar promo*** Jotto Ford PI Utility (2020+) Police Equipment Console - Contour	1	336.00	336.00T
425-3704	Jotto Desk ABS Dual Cup Holder Faceplate Mount	1	40.52	40.52T
425-6101	Jotto Desk 4" faceplate for the Whelen Cencom controller.	1	0.00	0.00T
425-6053	3" Blank face plate.	2	0.00	0.00T
425-6051	2" Blank face plate.	1	0.00	0.00T
425-5071	Jotto Desk 3 outlet cig power box.	1	16.80	16.80T
8060	Pelican 8060 LED flashlight	1	149.64	149.64T
IPM-112	Magnetic Mic single unit kit.	2	32.95	65.90T
WWRA-006	Wireworks mc clip bracket	2	6.95	13.90T
Raptor RP-1	Radar: Kustom Signals Raptor radar system. K-Band, Dual antenna, directional mode.	1	1,853.50	1,853.50T
	Officer dome light:			

Thank you for the opportunity!	Subtotal
	Sales Tax (0.0%)
	Total



Wire Works LLC
 2525 Commercial ST NE
 Salem, OR 97301

Estimate

Date	Estimate #
8/25/2022	14765

Aumsville Police Department
 PO Box 103
 Aumsville, Oregon 97325

A processing fee of 3.75% will be applied to all invoices paid with a credit card

Job	P.O. No.	Rep
Interceptor SUV		JAS

Item	Description	Qty	Rate	Total
ECVDMLTAL00	Sound Off Universal mount dome light. Red/White LED's.	1	92.48	92.48T
PKG-PSM-3006	MDT: Install provided docking station and power supply Havis 2020 Ford Interceptor Utility Premium Passenger Side Mount Package	1	523.09	523.09T
3SRCCDCR 6404	Cargo area: Whelen 3" LED compartment light. Red/White Round LED rocker switch. Red	2 1	55.00 9.95	110.00T 9.95T
Labor	Labor required to complete the build of a vehicle	48	95.00	4,560.00T
Shop Supplies	Shop supplies to complete job. Includes zip ties, connectors, loom, etc.	1	400.00	400.00T
Freight out	Freight Charges	1	450.00	450.00T

Thank you for the opportunity!	Subtotal	\$16,131.89
	Sales Tax (0.0%)	\$0.00
	Total	\$16,131.89

==>

Dealer: F74022

2023 EXPLORER 4-DOOR

Page: 1 of 2

Order No: 9999 Priority: A1 Ord FIN: QS045 Order Type: 5B Price Level: 320
Ord Code: 500A Cust/Flt Name: AUMSVILLE PO Number:

	RETAIL		RETAIL
K8A	4DR AWD POLICE \$47165	51T	SPT LAMP DR LED \$420
	.119" WHEELBASE	55F	KEYLESS - 4 FOB 340
UM	AGATE BLACK	66A	FRONT HDLMP PKG 895
9	CLTH BKTS/VNL R		.GRILL WIRING
6	EBONY	68G	RR DR/LK INOP NC
500A	EQUIP GRP	76R	REVERSE SENSING 275
	.AM/FM STEREO	85R	RR MOUNT PLATE 45
99B	3.3L V6 TI-VCT (2830)	87R	RR VIEW MIR/CAM NC
44U	10SPD AUTO TRAN NC		
52P	DR LOCK PLUNGER 160	TOTAL	BASE AND OPTIONS 48185
	FLEET SPCL ADJ NC	TOTAL	48185
18D	GBL LOCK/UNLOCK NC		*THIS IS NOT AN INVOICE*
19K	H8 AGM BATTERY 110		
425	50 STATE EMISS NC		* MORE ORDER INFO NEXT PAGE *
43D	COURTESY DISABL 25		F8=Next

Page: 2 of 2

Order No: 9999 Priority: A1 Ord FIN: QS045 Order Type: 5B Price Level: 320
Ord Code: 500A Cust/Flt Name: AUMSVILLE PO Number:

	RETAIL		RETAIL
92R	SOLAR TINT 2ND \$85		
	FLEX-FUEL		
153	FRT LICENSE BKT NC		
	SP DLR ACCT ADJ		
	SP FLT ACCT CR		
	FUEL CHARGE		
B4A	NET INV FLT OPT NC		
	PRICED DORA NC		
	DEST AND DELIV 1495		

TOTAL BASE AND OPTIONS 48185
TOTAL 48185

LANDMARK FORD STATE CONTRACT 1660 PRICE IS

\$40,575.00

\$202.88

\$150.13

\$155.50


\$41,083.50

PRIV TAX


CAT TAX

E-PLATES

TOTAL



Complete Wireless Solutions



1758 22nd St. SE
Salem, OR 97302

(503) 362-1388 Office (503) 362-1559 Fax
Radio Communications Service, Inc.

September 8, 2022

Quote for Aumsville Police Dept.

To: Damian Flowers

From: Mark Schumacher

Re: Quote for Kenwood VHF Mobile Options

<u>Qty</u>	<u>Description</u>	<u>Cost</u>
1	Kenwood NX-1700HAVK 50 Watt VHF Mobile Includes: Program and Setup 260 Channel Capacity Alpha Numeric Display	\$ 374.00
1	Kenwood NX-5700K 50 Watt VHF Mobile Includes: Program and Setup 1024 Channel Capacity Full Color Display P25 Compatible (Requires Purchase of Activation Key)	\$ 745.00
1	Kenwood KES-5A Speaker and Speaker Plug with Pigtail	\$ 55.88
1	NMOKNOCONN Antenna Lead and PL-259 Connector	\$ 34.00
1	NMO150C VHF 3db Gain Antenna	\$ 52.00

The above Kenwood pricing reflects the NASPO State Contract Price.

I appreciate the opportunity to help you with your communications needs.

Please don't hesitate to call me with any questions at 503-362-1388 in the office or 503-932-4030 on my cell.

Best regards,

Mark Schumacher

Quotation Good for 60 Days

<p>Wireless, 2-Way, Sales, Service, Maintenance KENWOOD – FIRECOM – BENDIX KING – TELEX</p>
--