

# City of Aumsville

## PUBLIC WORKS DESIGN STANDARDS

*Last Updated **June 2023** (v2)*  
*Originally adopted September 2021*

City of Aumsville, Oregon  
595 Main Street  
Aumsville, OR 97325  
(503) 864-2221

**PUBLIC WORKS DOCUMENTS ORDER FORM**

Name: \_\_\_\_\_

Company/Organization: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_

Phone: \_\_\_\_\_ Fax: \_\_\_\_\_

\_\_\_\_ Copies of Aumsville Development Ordinance @ \$30.00.....\$ \_\_\_\_\_  
\_\_\_\_ Copies of Aumsville Zoning & Utility Maps @ \$40.00.....\$ \_\_\_\_\_  
\_\_\_\_ Copies of Public Works Design Standards @ \$50.00.....\$ \_\_\_\_\_  
Postage & Shipping .....\$ \_\_\_\_\_

Total \$ \_\_\_\_\_

Make Checks Payable to the City of Aumsville **Prepaid Orders Only**  
Add \$5.00 postage/shipping for orders that must be shipped (standard U.S. mail or UPS ground service).

Mail Orders to: City of Aumsville  
595 Main Street  
Aumsville, OR 97325

Available at: Aumsville City Hall  
595 Main Street  
Aumsville, OR 97325

**CITY OF AUMSVILLE  
PUBLIC WORKS DESIGN STANDARDS**

**TABLE OF CONTENTS**

<u>Section</u>	<u>Page</u>
<b>DIVISION 1 GENERAL REQUIREMENTS.....</b>	<b>1-1</b>
1.1 GENERAL .....	1-1
1.2 PURPOSE .....	1-2
1.3 ENGINEERING POLICY .....	1-3
1.4 DEFINITIONS AND TERMS .....	1-4
1.5 LOCATION OF UTILITIES WITHIN RIGHT-OF-WAY OR EASEMENT .....	1-8
1.6 PROVIDING FOR NEW & FUTURE DEVELOPMENT .....	1-10
1.7 TIME LIMITS FROM DRAWING APPROVAL TO CONSTRUCTION .....	1-11
1.8 PHASED DEVELOPMENT .....	1-12
1.9 PRE-DESIGN CONFERENCE/MEETING. ....	1-12
1.10 DRAWING REVIEW PROCEDURE.....	1-15
1.11 CONSTRUCTION DRAWING SUBMITTAL REQUIREMENTS.....	1-18
1.12 EASEMENTS, ETC. ....	1-36
1.13 PUBLIC WORKS VARIANCES TO DESIGN STANDARDS .....	1-40
1.14 PRECONSTRUCTION CONFERENCE.....	1-42
1.15 CONSTRUCTION OBSERVATION, INSPECTION & TESTING.....	1-43
1.16 WARRANTY INSPECTIONS : .....	1-49
1.17 AS-BUILT DRAWINGS .....	1-49
 <b>DIVISION 2 STREETS .....</b>	 <b>2-1</b>
2.1 PURPOSE .....	2-1
2.2 APPLICABILITY .....	2-1
2.3 SPECIAL ITEMS.....	2-3
2.4 APPROVAL OF ALTERNATE MATERIALS AND METHODS.....	2-3
2.5 CONSTRUCTION DRAWINGS.....	2-4
2.6 CITY STANDARD DETAILS .....	2-4
2.7 EXISTING STREET CLASSIFICATIONS .....	2-4
2.8 OTHER JURISDICTIONS .....	2-5
2.9 DEFINITIONS AND TERMS .....	2-5
2.10 MATERIALS .....	2-9
2.11 IMPROVEMENT STANDARDS BY STREET CLASSIFICATION.....	2-13
2.12 STREET DESIGN MINIMUM SECTIONS.....	2-14
2.13 OVERLAYS.....	2-15
2.14 HORIZONTAL ALIGNMENT.....	2-16
2.15 MONUMENTATION .....	2-17
2.16 INTERSECTIONS & PEDESTRIAN CROSSINGS .....	2-17
2.17 VERTICAL ALIGNMENT AND STREET GRADES.....	2-20
2.18 STREET CROSS SECTIONS AND STREET CROSS SLOPES .....	2-22
2.19 GRADING WITHIN PUBLIC RIGHT-OF-WAY .....	2-23
2.20 CURBS AND GUTTERS .....	2-23
2.21 SIDEWALKS & MULTI-USE ACCESS ROUTES .....	2-24
2.22 CLEAR VISION AREA.....	2-27
2.23 CUL-DE-SACS, TURNAROUNDS .....	2-28
2.24 STUB STREETS, VEHICULAR NON-ACCESS PROVISIONS.....	2-29
2.25 TRANSITIONS .....	2-29
2.26 SUBSURFACE DRAINAGE.....	2-30
2.27 ACCESSIBLE ON-STREET PARKING .....	2-30
2.28 PARKING LOTS & LOADING ZONES .....	2-31
2.29 DRIVEWAY SPACING & LOCATION .....	2-35
2.30 DRIVEWAYS, DRIVEWAY APPROACHES, ALLEYS.....	2-35
2.31 PRIVATE STREETS, COMMON DRIVEWAYS, FLAGLOTS, FIRE LANES.....	2-39

**CITY OF AUMSVILLE  
PUBLIC WORKS DESIGN STANDARDS**

**TABLE OF CONTENTS**

<u>Section</u>	<u>Page</u>
2.32 STREET LIGHTING .....	2-42
2.33 BARRICADES AND GUARDRAILS.....	2-43
2.34 BIKEWAYS .....	2-43
2.35 STREET SIGNS .....	2-44
2.36 CUTTING EXISTING STREETS & RESTORATION REQUIREMENTS .....	2-44
<b>DIVISION 3 STORMWATER MANAGEMENT .....</b>	<b>3-1</b>
3.1 PURPOSE .....	3-1
3.2 APPLICABILITY .....	3-1
3.3 SPECIAL ITEMS.....	3-2
3.4 APPROVAL OF ALTERNATE MATERIALS AND METHODS .....	3-3
3.5 CONSTRUCTION DRAWINGS.....	3-3
3.6 CITY STANDARD DETAILS .....	3-3
3.7 DEFINITIONS AND TERMS .....	3-4
3.8 MATERIALS .....	3-6
3.9 GENERAL DESIGN CONSIDERATIONS .....	3-11
3.10 DESIGN CALCULATIONS AND CAPACITY.....	3-14
3.11 OPEN CHANNELS .....	3-20
3.12 STORM DRAIN ALIGNMENT AND LOCATION .....	3-21
3.13 STORM DRAIN MINIMUM PIPE SIZE .....	3-23
3.14 STORM DRAIN MINIMUM COVER .....	3-24
3.15 STORM DRAIN MINIMUM SLOPE & ROUGHNESS COEFFICIENT .....	3-24
3.16 UNDERGROUND WARNING TAPE & TONING / TRACER WIRE .....	3-26
3.17 MANHOLES AND CATCH BASINS.....	3-26
3.18 DETENTION FACILITIES .....	3-30
3.19 PRIVATE STORM DRAINAGE COLLECTION SYSTEMS.....	3-38
3.20 INFILTRATION SYSTEMS, DRYWELLS AND FRENCH DRAINS .....	3-38
3.21 STORM DRAIN SERVICE LATERALS .....	3-40
<b>DIVISION 4 SANITARY SEWER.....</b>	<b>4-1</b>
4.1 PURPOSE .....	4-1
4.2 APPLICABILITY .....	4-1
4.3 SPECIAL ITEMS.....	4-2
4.4 APPROVAL OF ALTERNATE MATERIALS AND METHODS .....	4-2
4.5 CONSTRUCTION DRAWINGS.....	4-3
4.6 CITY STANDARD DETAILS .....	4-3
4.7 DEFINITIONS AND TERMS .....	4-3
4.8 MATERIALS .....	4-6
4.9 GENERAL DESIGN CONSIDERATIONS .....	4-12
4.10 DESIGN PERIOD .....	4-14
4.11 SEWER DESIGN BASIS & CAPACITY.....	4-14
4.12 SEWER MINIMUM SIZE .....	4-15
4.13 SEWER MINIMUM DEPTH.....	4-16
4.14 SEWER MINIMUM SLOPE & ROUGHNESS COEFFICIENT .....	4-16
4.15 SANITARY SEWER ALIGNMENT AND LOCATION .....	4-18
4.16 MANHOLES AND MAINLINE CLEANOUTS .....	4-22
4.17 WORK ON EXISTING SEWERS .....	4-27
4.18 SEWER SERVICE LATERALS.....	4-30
4.19 PRIVATE SANITARY SEWER COLLECTION SYSTEMS.....	4-35
4.20 UNDERGROUND WARNING TAPE & TONING / TRACER WIRE .....	4-36

**CITY OF AUMSVILLE  
PUBLIC WORKS DESIGN STANDARDS**

**TABLE OF CONTENTS**

<u>Section</u>	<u>Page</u>
<b>DIVISION 5 WATER DISTRIBUTION .....</b>	<b>5-1</b>
5.1 PURPOSE .....	5-1
5.2 APPLICABILITY .....	5-1
5.3 SPECIAL ITEMS.....	5-2
5.4 APPROVAL OF ALTERNATE MATERIALS AND METHODS.....	5-2
5.5 CONSTRUCTION DRAWINGS.....	5-3
5.6 CITY STANDARD DETAILS .....	5-3
5.7 DEFINITIONS AND TERMS .....	5-3
5.8 MATERIALS.....	5-6
5.9 GENERAL DESIGN CONSIDERATIONS .....	5-20
5.10 WATER SYSTEM CAPACITY .....	5-21
5.11 LOOPING .....	5-23
5.12 BLOWOFFS.....	5-23
5.13 MINIMUM DEPTH .....	5-24
5.14 MINIMUM MAINLINE SIZE .....	5-25
5.15 WATERLINE ALIGNMENT AND LOCATION .....	5-25
5.16 VALVES .....	5-28
5.17 FIRE HYDRANTS.....	5-30
5.18 AIR RELEASE VALVES .....	5-33
5.19 WATER SERVICE LINES & METER LOCATION REQUIREMENTS.....	5-33
5.20 WATER METERS .....	5-38
5.21 PRIVATE WATER SYSTEMS .....	5-42
5.22 BACKFLOW PREVENTION.....	5-43
5.23 UNDERGROUND WARNING TAPE & TONING / TRACER WIRE.....	5-45
5.24 MAINLINE BORED CROSSINGS .....	5-45

**APPENDICES**

**APPENDIX A – STANDARD DETAILS & SAMPLE TEST REPORT FORMS**

**• A1 - General Requirements**

Latest Revision

101	Typical Utility Locations (Curbed Streets) .....	8/22
102	Typical Utility Locations (Turnpike and 3/4 Streets) .....	8/22
115	Survey Monument Box (in Streets or Public Sidewalks).....	2/21

**• A2 - Streets**

Latest Revision

201	40' Residential Cul-de-Sac, Minimum Section .....	7/21
202	40' Collector Street, 36' Commercial Street, Minimum Section .....	7/21
203	40' Industrial Street, Minimum Section .....	7/21
204	Arterial Street, Minimum Section .....	7/21
205	Standard Cul-de-sac (Residential) .....	7/21
206	Offset Cul-de-sac (Residential) .....	7/21
207	Eyebrow Cul-de-sac (Residential) .....	2/21
210	Type "A" Curb and Gutter and Weephole .....	12/22
211	Type "C" Curb and Weephole.....	12/22
212	Curblin Sidewalks and Driveway Apron.....	6/22
212A	Residential D/W Apron, Curblin Sidewalk, Uphill Lots only.....	6/22
212b	Residential D/W Apron at Positive Grade D/Ws, Curblin Sidewalk .....	6/22

**CITY OF AUMSVILLE  
PUBLIC WORKS DESIGN STANDARDS**

**TABLE OF CONTENTS**

<u>Section</u>	<u>Page</u>
213	Property Line Sidewalks and Driveway Apron..... 6/22
213A	CBU Mailbox & Ramp w/ Property Line Sidewalk ..... 10/21
213B	24" Deep, 30"φ, 4 Panel Root Barrier Tree Wells ..... 2/21
213C	24" Deep, 38"φ, 5 Panel Root Barrier Tree Wells ..... 2/21
214A	Intersection Curb Ramps, Curblin Sidewalks, Local Streets ..... 8/22
214A1	Intersection Curb Ramps, Curblin Sidewalks, Local Streets (Alt Layout) ..... 12/22
214B	Intersection Curb Ramps, Property Line Sidewalks, Local Streets ..... 1/23
214C	Curb Ramps Between Intersections..... 8/22
216	Commercial/Industrial Driveway Approach (High-Volume Truck Option) ..... 12/22
217	Curb Cut for New Driveways or Pedestrian Ramp on Existing Curb ..... 2/22
218	Concrete Valley Gutter (Typ for use in Alleys & Parking Lots) ..... 2/21
219	AC Street Cut for Street Widening or Extension ..... 2/21
220	Hammerhead Turnaround (Private Drives)..... 12/22
225	Street Barricade (Stub Streets) ..... 2/21
226	6-inch Bollard (Guard Post) ..... 3/22
227	8-inch Bollard (Guard Post) ..... 3/22
228	30" Tall Collapsible Padlockable Bollard ..... 3/22
230	Typical Street Lamp Post ..... 2/23
232	Sign Post with TeleSpar Base & Anchor (All Intersections) ..... 7/21
235	Offstreet Parking Dimensions, One Way Traffic Flow ..... 7/22
236	Offstreet Parking Dimensions, Two Way Traffic Flow ..... 7/22
237	Double Accessible Parking Space ..... 2/22
238	Accessible Routes and Crossings in Vehicular Areas ..... 9/21
239	Precast Wheelstop Detail..... 2/21
240	TrueGrid ProPlus Industrial Grade Modular Non-Paved Surface System..... 11/22
250	Trash and Recycling Enclosure ..... 2/21
<b>● <u>A3 – Stormwater Management</u></b>	
Latest Revision	
▶	For full size manholes, see Details 401 – 403A
▶	For storm sewer service laterals, see Details 415 & 416
▶	For bore casing detail, see Detail 508
301	Trench Backfill, Bedding and Pipe Zone ..... 2/21
302	Minor or Private Street & AC Driveway Cut Surface Restoration ..... 2/21
302A	AC Street Cut Surface Restoration w/Bench Grind ..... 2/21
302D	ODOT Trench Crossing, Trench Backfill & Surface Restoration ..... 11/22
303	Gravel Surface Restoration ..... 2/21
304	Native Surface Restoration ..... 2/21
310	Standard Side-Inlet Grated Catch Basin ..... 2/21
311	Oversize Side-Inlet Grated Catch Basin ..... 2/21
311A	Curb Inlet Catch Basin (Special Use Only) ..... 2/21
312	Catch Basin Grate Details ..... 2/21
313	Type 3 Ditch Inlet Catch Basin ..... 2/21
313A	Storm Outlet Energy Dissipator Basin ..... 2/21
314	Curb-Inlet Catch Basin ..... 2/21

**CITY OF AUMSVILLE  
PUBLIC WORKS DESIGN STANDARDS**

**TABLE OF CONTENTS**

<u>Section</u>	<u>Page</u>
315	Parking Lot Catch Basin (Precast Concrete) ..... 2/21
316	Parking Lot Catch Basin (Lynch Style) ..... 2/21
317	Parking Lot Catch Basin (Traffic Rated PVC w/Trap, Ductile Iron Frame/Grate) ..... 2/21
320	Pollution/Flow Control Manhole ..... 2/21
330	Kuenzi Manhole ..... 7/22
331	Kuenzi Manhole w/Waterline Casing (Existing Waterline)..... 7/22
332	Kuenzi Manhole w/Waterline Casing (New Waterline) ..... 7/22
350	24" Diameter Storm Manhole ..... 7/22
351	24" Diameter Storm Manhole (Traffic Rates PVC w/Solid Ductile Iron Frame/Cover)..... 2/21
355	Private Area Drain, Non-Traffic Areas ..... 7/22
362	Concrete Pipe End Cap with Grate..... 9/21
370A	Trash Trap & Leach Line Plan ..... 2/21
370B	Trash Trap & Leach Line Details ..... 2/21

**Test Reports**

- ▶ Storm Drain Mandrel Test Report
- ▶ Storm Drain Pipeline TV Inspection Report

**● A4 – Sanitary Sewers**

Latest Revision

- ▶ For trench backfill and surface restoration, see Details 301 – 304
- ▶ For bore casing detail, see Detail 508

401	Standard Manhole for 21" Pipe and Smaller ..... 8/22
402	Flattop Manhole for 21" Pipe and Smaller ..... 7/22
403	Manhole for 24" and 27" Pipe ..... 7/22
403A	Deep Manhole for 24" and 27" Pipe..... 7/22
404	Inside Drop Connection for Sanitary Sewer Manhole ..... 7/21
405	Manhole Frame and Cover (Standard and Suburban)..... 2/21
406	Lockdown Manhole Frame and Cover ..... 2/21
407	Manhole Rim Adjustment Details ..... 8/22
411	Mainline Cleanout ..... 2/21
415	Sewer & Storm Service Lateral..... 7/22
416	Standard Service Lateral Cleanout (Sewer & Storm)..... 7/22
419	Inserta-Tee Connection to Existing Sewer or Storm Drain ..... 2/21

**Test Reports**

- ▶ Sanitary Sewer Manhole Vacuum Test Report
- ▶ Sanitary Sewer Air Test Report
- ▶ Sanitary Sewer Mandrel Test Report
- ▶ Sanitary Sewer Pipeline TV Inspection Report

**● A5 – Water Distribution**

Latest Revision

- ▶ For trench backfill and surface restoration, see Details 301 - 304

501	Gate Valve and Valve Box Detail ..... 12/22
502	Butterfly Valve and Valve Box Detail ..... 12/22
503	Standard Fire Hydrant Assembly ..... 2/23

**CITY OF AUMSVILLE  
PUBLIC WORKS DESIGN STANDARDS**

**TABLE OF CONTENTS**

<u>Section</u>	<u>Page</u>
505 Tapping Tee and Valve .....	2/21
506 Mainline Blowoff Assembly .....	6/21
507 Standard Blowoff with Plugged End .....	6/21
508 Bore Casing, Carrier Pipe & Casing Spacer Detail .....	2/21
510 Horizontal Thrust Blocking .....	2/21
511 Straddle Block for 12" & Smaller Pipe .....	12/21
512 Vertical Thrust Blocking .....	2/21
515 Typical 1" Water Service .....	6/23
516 1½" and 2" Meter Set with 1" High Bypass .....	12/22
517 Tapping Requirements, 1½" & Larger Service .....	5/23
518 1" Combination Air Release Valve (CARV) .....	7/21
523 3" Domestic Water Meter .....	11/22
524 4" Domestic Water Meter .....	11/22
525 6" Domestic Water Meter .....	11/22
526 8" Domestic Water Meter .....	11/22
527 Water Meter Vault Bypass Valve Lock .....	2/21
528 Water Meter Test Port Assembly .....	2/21
529 Galvanized Pipe Supports w/Galvanized Ext Pipe .....	2/21
531 2" & Smaller Double Check Valve Assembly .....	12/22
541 2" & Smaller Reduced Pressure Backflow Assembly .....	8/22
543 3" Reduced Pressure Backflow Assembly .....	9/21
544 4" Reduced Pressure Backflow Assembly .....	9/21
545 6" Reduced Pressure Backflow Assembly .....	9/21
550 Fire Service Line Connection Requirements (1½" & Larger Service) .....	5/23
554 4" Double Check Detector Assembly w/FDC .....	4/23
555 6" Double Check Detector Assembly w/FDC .....	4/23
556 8" Double Check Detector Assembly w/FDC .....	4/23
559 4" Forward Flow Test Port inside DCDA Vault (For NFPA 13 & 25 Tests) .....	2/21
560 Below Grade Check Valve & Ball Drip Valve, in Close Bottom Drain Structure .....	8/22
561 Below Grade Check Valve & Ball Drip Valve, in Open Bottom Drain Structure .....	9/22
562 FDC Line Ball Drip Drain Valve (Check Valve in Building), Open Bottom Drain Structure .....	9/22
563 FDC on Building Exterior & Forward Flow Test Port, Sample & Notes .....	4/23
<b>Test Reports</b>	
▶ Waterline Pressure Test Report	
<b>• A6 - Erosion Control</b>	
610 Temporary Construction Entrance .....	2/21
611 Sediment Barriers .....	2/21
612 Straw Wattle Sediment Barrier .....	2/21
613 Inlet Sediment Control .....	2/21
614 Ditch & Swale Protection .....	2/21
615 Silt Sack Inlet Detail .....	2/21
616 Temporary Concrete Washout Area (CWA) .....	2/21
617 Stockpile Cover Detail .....	2/21



**CITY OF AUMSVILLE  
PUBLIC WORKS DESIGN STANDARDS**

**TABLE OF CONTENTS**

<u>Section</u>	<u>Page</u>
<u><b>APPENDIX B - Standard Construction Notes</b></u>	
<u><b>APPENDIX C - Utility Companies and Agencies</b></u>	
<u><b>APPENDIX D - Standard Easement Forms, Etc.</b></u>	
<u><b>APPENDIX E - Sample Insurance Certificates</b></u>	
<u><b>APPENDIX F - Adopting Ordinance &amp; Resolutions</b></u>	
<u><b>APPENDIX G - Construction Drawing Review, Public Works Permit, Construction Requirements &amp; Procedures</b></u>	
<u><b>APPENDIX H – Material &amp; Equipment Summary (partial list)</b></u>	
<u><b>APPENDIX I – Stormwater Detention Systems, Purpose &amp; Example Summary</b></u>	

## PREFACE

These design standards have been developed by the City of Aumsville to provide a uniform set of standards for public improvements. The intent of these standards is to provide guidelines for the construction of public facilities that will provide an adequate service level for the present as well as for future development. The format has been kept brief and no attempt has been made to cover all possible situations or to provide lengthy explanations.

These design standards are intended to be used in conjunction with the City's PWCS - Public Works Construction Standards (*ie. the Oregon Standard Specifications for Construction – OSSC (ODOT/APWA), most recent edition except as otherwise noted herein*). The PWCS are subject to the material, equipment and provisions specified in these PWDS. In the event of discrepancies between the requirements in these PWDS and the Public Works Construction Standards (PWCS) or between the text of these PWDS and the City standard details, the more stringent requirements as determined by the City Engineer and Public Works Director shall apply.

Copies of these design standards can be obtained from City of Aumsville, Oregon , 595 Main Street , Aumsville, OR 97325 .

It is anticipated that revisions to the design standards will be made from time to time. The date appearing on the title page is the date of latest revision of the text portion of the standards. The date appearing on the details is the date of latest revision of that particular detail.